

Окно в большой мир


Серия Modern AM272 – это стильные моноблоки для бизнеса. Среди их особенностей – двухканальная память DDR5, регулируемая подставка, удобный доступ к 2,5" отсеку для накопителя, веб-камера формата FHD со шторкой для защиты конфиденциальности.



Picture and logos

SELLING POINTS

- Windows 11 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса.
- 27" IPS панель с LED подсветкой (1920 x 1080 FHD) с сертифицированными TUV технологиями Anti-Flicker (подавление мерцания экрана) и Less Blue Light (снижение интенсивности синего света)
- Процессор до Intel® Core™ 7 150U с памятью DDR5
- Регулируемая подставка обеспечивает удобство в работе
- Технология Instant Display превращает моноблок серии Modern AM272 в режим монитора без загрузки системы
- dTPM и встроенная FHD веб-камера с функцией Windows Hello повышают уровень конфиденциальности пользователей и защищают конфиденциальные данные
- Конструкция MSI Storage Rapid Upgrade Design позволяет быстро обновлять или обслуживать 2,5" системы хранения данных
- Приложение MSI Cloud Center позволяет организовать частное облачное хранилище для файлов с мобильных устройств (под управлением Android или iOS)
- MSI AI Engine автоматически определяет пользовательские сценарии и соответствующим образом настраивает производительность, звуковые эффекты и режим отображения
- Надежность в работе 24/7
- DataSheet: Общие Характеристики серии Modern AM272P 1M(pdf)



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Переключаемый 2.5" накопитель
5. 5-позиционный навигационный модуль
6. 1x DC-in
7. 1x Слот замка Кенсингтона
8. 1x HDMI™ in
9. 1x HDMI™ out (поддерживается 4K@60Гц по стандарту HDMI™ 2.1)
10. 2x USB 2.0 Type A
11. 1x RJ45 Ethernet
12. 1x Съемная крышка веб-камеры



МОНОБЛОКИ

Modern AM272P 1M

MODERN AM272P 1M-679XRU

SPECIFICATION

Operating Systems	Operating Systems	N/A
	OS	N/A
Processor	CPU Number	Intel Core 7 Processor 150U
	CPU Clock	1.8GHz
	CPU Cores	10
	TDP	15W
	Cache	12 MB Intel® Smart Cache
	Threads	12
	Max Turbo Frequency	up to 5.40 GHz
Chipset	Chipsets	SoC
Model	Part No	9S6-AF8231-679
	MKT Name	Modern AM272P 1M
	MKT Spec	Modern AM272P 1M-679XRU
	Color	ID1/Black-Black-Black
	Model	AF82
Discrete Graphics	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Module Type	SO-DIMM
	слотов памяти (Всего/Свободных)	2/0
	Max Capacity	Max 64GB
	Memory Speed	2800(5600)MHz
	Memory Slot(Total)	2
	Memory Slot(Free)	0
Storage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	отсеков для приводов 2.5" (Всего/Свободных)	1/1
	отсеков для приводов 3.5" (Всего/Свободных)	0/
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2 Channel HD Audio
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NGWWG.NV
I/O Ports (Front)	USB 3.2 Gen 2 Type A	2
	USB 3.2 Gen 2 Type C	2
	Mic-in/Headphone-out combo	1



МОНОБЛОКИ

Modern AM272P 1M

MODERN AM272P 1M-679XRU

I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	HDMI in	1
	Lock type	Kensington
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
Design	Adjustment (Tilt)	-4°~20°
	Adjustment (Height)	0~130mm
Dimension & Weight	Weight (Net kg)	7.5
	Weight (Gross kg)	9.85
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	712 x 200 x 482
	Inside Carton Dimension with Stand (WxDxH) (inch)	28.03 x 7.87 x 18.98
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	611.75 x 194.68 x 561.48
	Product Dimension with Stand (WxDxH) (inch)	24.08 x 7.66 x 22.11
	Outer Carton Dimension with Holder (WxDxH) (inch)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (inch)	N/A
	Weight (Net lbs)	16.53
	Weight (Gross lbs)	21.72
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	611.75 x 194.68 x 561.48
	Product Dimension with Stand (WxDxH) (inch)	24.08 x 7.66 x 22.11
Input Device	WebCam	internal webcam
	Webcam	internal webcam
	Webcam Resolution	2.0MP (1080P)
	Webcam supports Windows Hello or not	Yes
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Warranty	Warranty	12months
In The Box	Keyboard Interface	WIRELESS
	Mouse Interface	WIRELESS
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard	RF1430
	Mouse	MA04
Barcode Info	EAN	4711377217170



МОНОБЛОКИ

Modern AM272P 1M

MODERN AM272P 1M-679XRU

Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H) × 336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	300
	Refresh Rate	N/A
	Response Time (GTG)	14ms
	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
	Display Colors	16.7M
	Surface Treatment	Anti-Glare
	Contrast Ratio	1000:1
I/O Ports (Side)	USB 3.2 Gen 2 Type C	2
	USB 3.2 Gen 2 Type A	2
	Type-C in	N/A
	Mic-in/Headphone-out combo	1
STAND	Adjustment (Tilt)	-4°~20°
	Adjustment (Height)	0~130mm